

LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 1 of 16

**Applicant**: Ningbo Johnshen Stationery Co., Ltd

No. 119, Dingxiang Road, Jiangdong Zone, Ningbo, China

Contact Person : Daisy

Sample Description : GLITTER GLUE 6CT

 Style Number
 : 11721101

 PO Number
 : 10RR23

 SKU Number
 : 11721101

**Department Number**: 140

Factory Name : Ningbo Senior Stationery Co., Ltd

Country of Origin : CHINA

**Date of Submission** : September 21, 2016

**Test Performance Dates**: September 21, 2016 - September 27, 2016

**Testing Phase** : Verification Test

Test Protocol Number : TY-001-US

**Label Age Grade** : Not for children under 3 years

Appropriate Age Grade: [Toys] Over 3 years of ageTested Age Grade: [Toys] Over 3 years of age

Overall Rating : PASS

**Photo of Submitted Sample** 



For and on behalf of

Modern Testing Services Co., Ltd.

Gao Jian, David

**Assistant Manager, Toy Division** 



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 2 of 16

| TEST RESULT SUMMARY  |                |  |  |
|--|----------------|--|--|
| Test Requested   | Results        |  |  |
| Physical and Mechanical Requirements, ASTM F963-11 - Standard Consumer Safety Specification for Toy Safety | PASS           |  |  |
| Federal Hazardous Substances Act Regulations, 16 CFR 1500.3 (c)(6)(vi) Flammable Solid                     | PASS           |  |  |
| Soluble Heavy Metals Content in Surface Coating Materials ASTM F963-11 Section 4.3.5.1(2)                  | NOT APPLICABLE |  |  |
| Total Lead Content – U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101    | PASS           |  |  |
| Total Heavy Metal Screening in Toys Substrate Materials – ASTM F963-11 4.3.5.2(2)(b)                       | PASS           |  |  |
| Soluble Heavy Metals Content in Toys Substrate Materials – ASTM F963-11 Section 4.3.5.2(2)(b)              | NOT APPLICABLE |  |  |
| Flash Point - 16 CFR Section 1500.3(c)(6)(iii) – Document Review   | PASS           |  |  |
| Labeling of Hazardous Art Materials Act – 16 CFR 1500.14(b)(8) – Document Review                           | PASS           |  |  |
| Toxicological Risk Assessment – 16 CFR 1500.3(b)(5) and 16 CFR 1500.3(b)(8) – Document Review              | PASS           |  |  |
| 16 CFR 1500.14 Hazardous Chemical Test (GC Scan) - Document Review   | PASS           |  |  |
| 16 CFR 1500.231 Hazardous Liquid (GC Scan) - Document Review   | PASS           |  |  |
| Phthalates Content – U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 108    | PASS           |  |  |
| Labeling and Construction Qualities requirement – Client's protocol  | PASS           |  |  |



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 3 of 16

#### **COMPONENT BREAKDOWN LIST:**

| Test Item | Component Description                                      | Accessibility (Remark 1) | Classification       |
|-----------|--|--------------------------|----------------------|
| A1        | Transparent adhesive with black coating(sticker on bottle) | Accessible as received   | Accessible substrate |
| A2        | Purple plastic(cap)  | Accessible as received   | Accessible substrate |
| A3        | Rose plastic(cap)  | Accessible as received   | Accessible substrate |
| A4        | Silvery plastic(cap)                                       | Accessible as received   | Accessible substrate |
| A5        | Blue plastic(cap)  | Accessible as received   | Accessible substrate |
| A6        | Gold plastic(cap)  | Accessible as received   | Accessible substrate |
| A7        | Red plastic(cap)   | Accessible as received   | Accessible substrate |
| A8        | Purple glitter glue  | Accessible as received   | Accessible substrate |
| A9        | Rose glitter glue  | Accessible as received   | Accessible substrate |
| A10       | Silvery glitter glue                                       | Accessible as received   | Accessible substrate |
| A11       | Blue glitter glue  | Accessible as received   | Accessible substrate |
| A12       | Gold glitter glue  | Accessible as received   | Accessible substrate |
| A13       | Dark Red glitter glue                                      | Accessible as received   | Accessible substrate |
| A14       | Transparent plastic (body of bottle)                       | Accessible as received   | Accessible substrate |
| A15       | White plastic(tip of bottle)                               | Accessible as received   | Accessible substrate |

#### Remark:

1) The accessibility of the submitted sample after use and abuse is verified according to 16 CFR 1500.87 (e) to (h).



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 4 of 16

#### **TEST RESULT:**

#### Soluble Heavy Metals Content in Surface Coating Materials ASTM F963-11 Section 4.3.5.1(2)

Not applicable for the submitted sample. No surface coating was found on the submitted sample.

# <u>Total Lead Content – U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section</u> 101

| Acceptibility |                             |                      | Total Lead (Pb) (ppm) |                     |            |
|---------------|-----------------------------|----------------------|-----------------------|---------------------|------------|
| Test Item     | Accessibility<br>(Remark 1) | Classification       | Result                | Limit<br>(Remark 2) | Conclusion |
| A1            | Accessible as received      | Accessible substrate | <10                   | 100                 | PASS       |
| A2+A3+A4      | Accessible as received      | Accessible substrate | <10                   | 100                 | PASS       |
| A5+A6+A7      | Accessible as received      | Accessible substrate | <10                   | 100                 | PASS       |
| A8+A9+A10     | Accessible as received      | Accessible substrate | <10                   | 100                 | PASS       |
| A11+A12+A13   | Accessible as received      | Accessible substrate | <10                   | 100                 | PASS       |
| A14+A15       | Accessible as received      | Accessible substrate | <10                   | 100                 | PASS       |

#### Method:

- 1) Lead in paint and other similar surface coatings: The test is conducted according to CPSC-CH-E1003-09
- 2) Lead in metals: The test is conducted according to CPSC-CH-E1001-08
- 3) Lead in other non-metal materials including plastics, glass and leather material: The test is conducted according to CPSC-CH-E1002-08

#### Remark:

- 1) The accessibility of the submitted sample after use and abuse is verified according to 16 CFR 1500.87 (e) to (h).
- 2) Test is performed on the specified item(s) that is / are excluded from the material listed under 16 CFR 1500.91 (d) as per client's declaration.

Note: ppm = part per million = mg/kg (milligram per kilogram)

"<" = less than



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 5 of 16

#### Total Heavy Metal Screening in Toys Substrate Materials – ASTM F963-11 4.3.5.2(2)(b)

|   | Mass of                 | Result – Total Heavy Metals (mg/kg) |     |      |     |     |     |     |     |            |
|---|-------------------------|-------------------------------------|-----|------|-----|-----|-----|-----|-----|------------|
| Test Item                                 | Trace<br>Amount<br>(mg) | Sb                                  | As  | Ва   | Cd  | Cr  | Pb  | Hg  | Se  | Conclusion |
| A1  | 12.5                    | 52                                  | <10 | 15   | <10 | 31  | <10 | <10 | <10 | PASS       |
| A2+A3+A4                                  | 72.5                    | <10                                 | <10 | <10  | <10 | <10 | <10 | <10 | <10 | PASS       |
| A5+A6+A7                                  | 73.0                    | <10                                 | <10 | 53   | <10 | <10 | <10 | <10 | <10 | PASS       |
| A8+A9+A10                                 | NA                      | <10                                 | <10 | <10  | <10 | <10 | <10 | <10 | <10 | PASS       |
| A11+A12+A13                               | NA                      | <10                                 | <10 | <10  | <10 | <10 | <10 | <10 | <10 | PASS       |
| A14+A15                                   | 71.4                    | <10                                 | <10 | <10  | <10 | <10 | <10 | <10 | <10 | PASS       |
| Limit for Surface and Substrates Modeling | Other Than              | 60                                  | 25  | 1000 | 75  | 60  | 90  | 60  | 500 | -          |
| Limit for Mode                            | eling Clays             | 60                                  | 25  | 250  | 50  | 25  | 90  | 25  | 500 | -          |

Sb = Antimony, As = Arsenic, Ba = Barium, Cd = Cadmium, Cr = Chromium, Pb = Lead, Hg = Mercury, Se = Selenium

Method: ASTM F963-11 Section 8.3.1, sample was digested with acid mixture and analyzed by Inductively Coupled Argon Plasma Spectrometer / Inductively Coupled Plasma Mass Spectrometer.

Remark: The received sample(s) contained component(s) of less than 10mg on one single sample, therefore such component(s) was not tested for soluble heavy metals content as specified in clause 8.3.5.3 (2) of this standard.

#### Flash Point - 16 CFR Section 1500.3(c)(6)(iii) - Document Review

The below of test parameter, documentation has been provided which indicates compliance with the specified requirements.

| Test Parameter                                 | Test Item(s)     | Document Provided                                 |
|--|------------------|---|
| Flash Point - 16 CFR Section 1500.3(c)(6)(iii) | GLITTER GLUE 6CT | MTS Report 64316-050128,<br>Dated on May 12, 2016 |

Remark: Testing is not performed on the above listed test item(s). Acceptable documentation is required to verify the compliance with specified test standard.



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 6 of 16

#### <u>Labeling of Hazardous Art Materials Act – 16 CFR 1500.14(b)(8) – Document Review</u>

The below of test parameter, documentation has been provided which indicates compliance with the specified requirements.

| Test Parameter  | Test Item(s)             | Document Provided                                |
|---|--------------------------|--|
| Labeling of Hazardous Art Materials<br>Act – 16 CFR 1500.14(b)(8) | Glitter glue (24 Colors) | MTS Report CA-12-04778,<br>Dated on Oct 17, 2012 |

Remark: Testing is not performed on the above listed test item(s). Acceptable documentation is required to verify the

compliance with specified test standard.

#### Toxicological Risk Assessment - 16 CFR 1500.3(b)(5) and 16 CFR 1500.3(b)(8) - Document Review

The below of test parameter, documentation has been provided which indicates compliance with the specified requirements.

| Test Parameter  | Test Item(s)             | Document Provided                                |
|---|--------------------------|--|
| Toxicological Risk Assessment – 16<br>CFR 1500.3(b)(5) and 16 CFR<br>1500.3(b)(8) | Glitter glue (24 Colors) | MTS Report CA-12-04779,<br>Dated on Oct 17, 2012 |

Remark:

Testing is not performed on the above listed test item(s). Acceptable documentation is required to verify the compliance with specified test standard.

#### 16 CFR 1500.14 Hazardous Chemical Test (GC Scan) - Document Review

The below of test parameter, documentation has been provided which indicates compliance with the specified requirements.

| Test Parameter                    | Test Item(s)          | Document Provided         |
|-----------------------------------|-----------------------|---------------------------|
| 16 CFR 1500.14 Hazardous Chemical | CUTTER CLUE 6CT       | BV Report (6616)102-0723, |
| Test (GC Scan)                    | (41111ER (411E = 6(1) |                           |

Remark:

Testing is not performed on the above listed test item(s). Acceptable documentation is required to verify the compliance with specified test standard.

#### 16 CFR 1500.231 Hazardous Liquid (GC Scan) - Document Review

The below of test parameter, documentation has been provided which indicates compliance with the specified requirements.

| Test Parameter                             | Test Item(s)       | Document Provided                                  |
|--|--------------------|--|
| 16 CFR 1500.231 Hazardous Liquid (GC Scan) | GLITTER GLUE - 6CT | BV Report (6616)102-0723,<br>Dated on May 06, 2016 |

Remark:

Testing is not performed on the above listed test item(s). Acceptable documentation is required to verify the compliance with specified test standard.



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 7 of 16

#### <u>Labeling and Construction Qualities requirement – Client's protocol</u>

#### **TY-001-US**

| Evaluation   | Citation/Method  | Criteria   | Result |
|--|--|--|--------|
| Determination<br>of Children's<br>Product and<br>Age Grading | ASTM F963,<br>Section 5.2<br>Annex A1 /<br>CPSC Age Grade<br>Determination<br>guideline /<br>16 CFR 1200 | Product category should be determined according to national guidelines and industrial standards. The major categories are (1) Toys, (2) Children's Product, (3) Child-care articles, and (4) General Use Products  All products shall be tested according to either the appropriate age grade, as determined by MTS or the labeled age grade if it is more stringent. In the event the sample is not age labeled, MTS will determine the appropriate age grade and test accordingly.  Label Age Grade: Not for children under 3 years Appropriate Age Grade: Over 3 years of age Tested Age Grade: Over 3 years of age  [For products except apparel and footwear]  - Age grade labeling is required on the packaging of all toys and children's products, unless  (1) the appropriate age grade for the product is all ages  (0+), or  (2) the product has been tested to and meets the requirements applicable to toys/children's products for all ages.  - The packaging and product shall not contain any statement contradicts the appropriate age grade. For example, "This is not a toy.", "Do not give it to children.", "For Adult Use Only.".  Remark:  - Presence of Age Warning fulfills the age grade labeling requirement. For example, "Not for children under 3 yrs.".  - During Pre-Production Review, report(s) could be submitted to show the item meets all ages requirements  - During Certification/ Verification Test, perform all ages (0+) tests on an extra sample to check whether it meets all ages requirements.  [Effective Date 1st Nov 2013] | P      |



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 8 of 16

| Evaluation                             | Citation/Method   | Criteria  | Result  |
|--|---|---|---|
| Labeling of art<br>materials           | 16 CFR 1500.14(b)(8) Art materials / ASTM D4236- 94(2011) Standard Practice for Labeling Art Materials for Chronic Health Hazards | Shall conform to the labeling requirement as defined by 16 CFR 1500.14 / ASTM D4236.  The labeling requirements are evaluated according to the recommendations of the LHAMA document provided by the client.  | Р   |
| Tracking label for children's products | Consumer Product Safety Improvement Act, Section 103. Tracking Labels for Children's Products                                     | Any children's product shall place permanent, distinguishing marks on the product and it's packaging, to the extent practicable, that will enable —  (A) the manufacturer to ascertain the location and date of production of the product, cohort information (including the batch, run number, or other identifying characteristics), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks  (B) the ultimate purchaser to ascertain the manufacturer or private labeler, location and date or production of the product, and cohort information (including the batch, run number, or other identifying characteristics).  Dollar General Tracking label requirement:  • Only evaluate the present of the tracking label.  • Report tracking code on product and packaging.  Dollar General Tracking Code Format:  (1) For items of Dept 300 - 350, should be 11 digits. 1st - 8th is SKU; 9th is month code; 10th - 11th is year code.  Month Code and Year Code follow Shipdate.  Month Code is A = January, B = February, C = March, and so on.  Year Code is 15 = Year 2015, 16 = Year 2016, 17 = Year 2017, and so on.  (2) For items not Dept 300 - 350, either below format depends on PO.  a) PO begin with "IN", should be 7 digits. 1st - 4th is character of PO after "IN"; 5th is a letter; 6th - 7th is 2 number b) PO not begin with "IN", should be "DG" + Tracking Code from system | P On Product: DG10RR23006 On Packaging: DG10RR23006 |
| Labeling for toys                      | ASTM F963-11<br>Standard<br>Consumer Safety<br>Specification for<br>Toy Safety,<br>Section 5 to 7                                 | Shall meet the labeling requirements specified in the standard.   | P   |



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 9 of 16

| Evaluation  | Citation/Method  | Criteria  | Result |
|---|--|---|--------|
| Toys/Children's Products: Choking Hazard warnings for small parts, balloons, marbles, balls | 16 CFR 1500.19 /<br>16 CFR<br>1500.18(a)(17)                                     | Shall conform to the labeling requirement as defined by 16 CFR 1500.19  | Р      |
| Sharp points  | 16 CFR 1500.48 /<br>16 CFR 1500.50-<br>53  | Products intended for children under 8 years of age shall have no accessible, potentially hazardous sharp points before or after abuse tests.  - 4 Mechanical test required   | Р      |
| Sharp edges   | 16 CFR 1500.49 /<br>16 CFR 1500.50-<br>53  | Products intended for children under 8 years of age shall have no accessible, potentially hazardous sharp edges before or after abuse tests.  - 4 Mechanical test required  | P      |
| Mechanical<br>hazards   | ASTM F963-11<br>Standard<br>Consumer Safety<br>Specification for<br>Toy Safety   | Toys shall meet the requirements specified in the standard - 4 Mechanical test required   | Р      |
| Flammability of solid   | ASTM F963-11,<br>Section 4.2 /<br>16 CFR 1500.44 /<br>16 CFR<br>1500.3(c)(6)(vi) | Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second.  | Р      |
| 16 CFR<br>1500.3(c)(6)(iii)<br>Combustible<br>liquids                                       | 16 CFR<br>1500.3(c)(6)(iii) /<br>16 CFR<br>1500.43(a)                            | Method of test for flashpoint of potentially volatile combustible materials (150 °F / 65.6 °C). All liquid filled items intended or likely to be used by children shall comply with this requirement.  [Document Review] In lieu of testing, test report can be submitted if dated within one year. | Р      |



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 10 of 16

| Evaluation  | Citation/Method   | Criteria  | Result |
|---|---|---|--------|
| CPSIA Total<br>lead content in<br>substrate<br>material | Consumer Product Safety Improvement Act of 2008 / ASTM F963-11 clause 4.3.5.2 (2) (a) / EPA 3050B(mod) / EPA 3051(mod) / EPA 3052(mod) / CPSC-CH- E1001-08 / CPSC-CH- E1002-08 / 16 CFR 1500.91 | All accessible substrates, before and after use and abuse testing, on items intended for children ages 12 and under shall not contain lead in excess of 0.01% (100ppm) of the weight of the total content.  The materials listed in the lead content in substrate exemption list below will be exempted from testing; it is the vendors' responsibility to ensure compliance to the applicable requirements.  Vendor should provide accurate BOM or information to grant the exemption from testing  Report actual results or include data table within report  Composite testing is allowed up to 3 similar materials. If composite result exceeds the adjusted limit (regulatory limit divided by the number of composites), individual materials will be analyzed. | P      |



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 11 of 16

| Evaluation Citation/Me   | ethod Criteria | Result |
|--|----------------|--------|
| ASTM F963-11 Clause 4.3.5.1 (2) / 4.3.5.2  Total heavy metal screening: Clause 8.3.1 CPSC-CH-E1001-08.1 (metal substrates) CPSC-CH-E1002-08.1 (non-metal substrates) CPSC-CH-E1003-09 (paint and similar surface-coating materials) (modified) Soluble heavy metal: Clause 8.3.2 / 8.3.5 |                | P      |



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 12 of 16

| Evaluation   | Citation/Method  | Criteria   | Result |
|--|--|--|--------|
| ASTM F963-11<br>Clause 4.3.5.1<br>(2) / 4.3.5.2<br>Total heavy   |  | Remark: 1) Accessible substrates shall meet the requirement if:  | Р      |
| metal screening: Clause 8.3.1 CPSC-CH- E1001-08.1 (metal substrates) CPSC-CH- E1002-08.1 (non-metal substrates) CPSC-CH- E1003-09 (paint and similar surface-coating materials) (modified) Soluble heavy | Soluble Heavy<br>metal contents in<br>coating /<br>substrate | (i) All toys parts (0-14 years of age) intended to be mouthed or contact food or drink, components of toys which are cosmetics, and components of writing instruments categorized as toys;  (ii) Toys intended for children less than 6 years of age, that is, all accessible parts and components where there is a probability that those parts and components may come into contact with the mouth.  2) Materials in 16 CFR 1500.88 or 16 CFR 1500.91 (Lead content in substrate exemption list) as exempt from testing and certification requirements are exempted for soluble lead requirement.  3) Packaging materials are not subjected to these requirements unless they are intended to be retained as part of the toy or intended to provide play value.  4) Paper and paperboard; writing instrument nibs are exempted from testing.  [Client Requirement] |        |
| metal:<br>Clause 8.3.2 /<br>8.3.5  |  |  |        |



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 13 of 16

| Evaluation Citation/l  | ethod Criteria   | Result   |
|--|--|----------|
| BBP / DBP / DEHP content DnOP / DINP / DIDP content Section 10: California A Bill AB1108 | Children's toys and childcare articles shall not contain concentrations of more than 0.1% BBP, DBP or DEHP. Children's toys that can be placed in the mouth or childcare articles shall not contain concentrations of more than 0.1% DINP, DIDP or DnOP.  For the purpose of this ban; "Children's toy" means a consumer product designed or intended by the manufacturer for a child 12 years of age or younger for use by the child when the child plays. "Child care article" means a consumer product designed or intended by the manufacturer to facilitate sleep, relaxation or the feeding of a child 3 years of age or younger or to help such children with sucking or teething. "Can be placed in a child's mouth" means if any part of the toy can actually be brought to the mouth and kept in the mouth by a child so that it can be sucked or chewed. If the product can only be licked, it is not regarded as able to be placed in the mouth. If a toy or part of a toy in one dimension is smaller than 5 centimeters, it can be placed in the mouth.  Actual testing would be conducted on the following accessible plastics materials, plasticizer print, scrapable surface coatings, decals, polymeric coated materials (unscrapable), adhesives and sealants (exclude adhesive for stickers), toy nail polish, reusable packaging, electrical plug or cables and plastic stealth of electrical wires  Vendor shall be responsible for the compliance of all other accessible materials and inaccessible materials. | Result P |
|  | Composite testing is allowed up to 3 similar materials. If the composite result exceeds the adjusted limit (regulatory limit divided by the number of components), individual materials will be analyzed.  |          |



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 14 of 16

| Evaluation   | Citation/Method  | Criteria   | Result |
|--|--|--|--------|
| LHAMA<br>Evaluation                                    | ASTM F963-11,<br>Section 4.29 /<br>16 CFR<br>1500.14(b)(8) /<br>16 CFR<br>1500.85(a)(4)<br>ASTM D-4236 | Samples shall meet the requirements intended to minimize the potential risk associated with the use of art materials that present chronic, long-term health hazards (ASTM D4236/LHAMA).  [Document Review] In lieu of testing, test report can be submitted if dated within five years.  | Р      |
| 16 CFR 1500<br>Toxicity &<br>irritancy claim           | ASTM F963-11,<br>Section 4.3.1 /<br>16 CFR<br>1500.3(c)  | Products intended for use by children, including toys and parts of toys, must not be toxic (acute), a skin irritant, eye irritant, corrosive, or a strong sensitizer. Products that are not intended for use by children must be labeled appropriately if a toxicological hazard is present. Toxicological Risk Assessment shall be conducted to substantiate the compliance of the regulation for the following components:  - All toy cosmetics, liquids, pastes, putties, gels and powders regardless of claim  - Other materials bearing a "NON-TOXIC" claim on samples and/or its packaging  [Document Review] In lieu of testing, test report can be submitted if dated within five years. | P      |
| 16 CFR<br>1500.14<br>Hazardous<br>liquid (GC<br>scan)  | 16 CFR 1500.14   | To identify the presence of following potentially hazardous ingredients for accessible liquid:  (1) Ethylene Glycol 10% or greater (2) Diethylene Glycol 10% or greater (3) Methanol 4% or greater (4) Benzene 5% or greater (5) Turpentine 10% or greater (6) Petroleum Distillates 10% or greater (7) Toluene 10% or greater (8) Xylene 10% or greater [Document Review] In lieu of testing, test report can be submitted if dated within one year.  | Р      |
| 16 CFR<br>1500.231<br>Hazardous<br>liquid (GC<br>scan) | 16 CFR 1500.231  | To identify the presence of potentially hazardous ingredients, all liquid filled items intended or likely to be used by children shall comply with this requirement.  [Document Review] In lieu of testing, test report can be submitted if dated within one year.   | Р      |

Note: P = Pass F = Fail NA = Not applicable NR = Not Requested



LAB LOCATION:

### DOLLAR GENERAL Test Report

ISSUE DATE: September 27, 2016

PAGE: 15 of 16

### **REPORT NUMBER:** 64316-090197

**SHANGHAI** 

#### **Location of Tracking Label**



#### **Packaging Details**



\*\*\*\*End of Test Report\*\*\*\*



LAB LOCATION: SHANGHAI ISSUE DATE: September 27, 2016

REPORT NUMBER: 64316-090197 PAGE: 16 of 16

NOTE:

If there is question or concern regarding the above results, please contact us via email iyang@mts-global.com

This test report is governed by the Terms and Conditions, available on request or accessible at <a href="http://www.mts-global.com/en/terms.html">http://www.mts-global.com/en/terms.html</a>. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report only refers to the sample(s) actually tested and does not refer or be deemed to refer to the bulk from which such sample(s) may be said to have been obtained from. In the event that MTS was requested to survey and test any bulk quantity of samples, MTS, in the absence of any contrary written instructions, performed random sampling of bulk for testing purposes. Variations in the conditions that samples are stored in, transported in, etc., may lead to variations in the test results. MTS cannot anticipate and shall not be responsible for the variations in the test results due to factors beyond MTS' control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report is not a recommendation for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the MTS Test Request Form, MTS makes no other warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall MTS be liable for any consequential, special or incidental damages arising out of or in connection with this report. This test report shall not be reproduced without the prior written permission of MTS.