

Applicant: NINGBO JOHNSEN STATIONERY CO.,LTD
NO 111-131, DINGXIANG ROAD, JIANGDONG
ZONE, NINGBO CHINA
Attn: GEMINI WU

Date: 12 Jan, 2016

Sample Description:

Three (3) sets of submitted sample said to be :
Item Name : Set Of 16 Brilliant Glitter Glue.
Item No. : ST12062/MF923036.
Quantity : 3 Sets.
Labelled Age Group : Not Specified.
Packaging Provided By Applicant : Yes.
Country Of Origin : China.

Tests Conducted:


As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested Samples	Standard	Result
Submitted Sample Set	EN71-1: 2014 for Mechanical And Physical Properties	Pass
	EN71-2: 2011+A1: 2014 Flammability Test	Pass
Tested components of submitted sample	EN 71-3:2013+A1:2014 for migration of certain elements	Pass
	Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011 and (EU) No. 835/2012 of 18 September 2012 Amending Annex XVII Items 23 of the Reach Regulation (EC) No. 1907/2006	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Leo Shi
General Manager



Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014.

Applicant's Specified Age Group for Testing: For ages 3 years and up.

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material Cleanliness	P
4.2	Assembly	NA
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic Wires	P
4.9	Protruding Parts	NA
4.10	Parts Moving Against Each Other	NA
4.11	Mouth Actuated Toys and Other Toys Intended to be Put in the Mouth	NA
4.12	Balloons	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	NA
4.15	Toys Intended to Bear the Mass of a Child	NA
4.16	Heavy Immobile Toys	NA
4.17	Projectiles	NA
4.18	Aquatic Toys and Inflatable Toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and Toys Using Percussion Caps	NA
4.20	Acoustics	NA
4.21	Toys Containing Non-Electrical Heat Source	NA
4.22	Small Balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys Attached to Food	NA
5	Toys intended for Children under 36 Months	
5.1	General Requirements	NA
5.2	Soft-filled Toys and Soft-filled Parts of a Toy	NA
5.3	Plastic Sheeting	NA
5.4	Cords, Chains and Electrical Cables in Toys	NA
5.5	Liquid-Filled Toys	NA
5.6	Speed Limitation of Electrically-driven Ride-on Toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of Certain Toys	NA
5.9	Toys Comprising Monofilament Fibres	NA
5.10	Small Balls	NA
5.11	Play Figures	NA
5.12	Hemispheric-shaped Toys	NA
5.13	Suction Cups	NA
5.14	Straps Intended to be Worn Fully or Partially Around the Neck	NA

Tests Conducted

Clause	Testing Items	Assessment
6	Packaging	NA
7	Warnings, Markings and Instructions for Use	
7.1	General	P
7.2	Toys Not Intended for Children under 36 Months	P
7.3	Latex Balloons	NA
7.4	Aquatic Toys	NA
7.5	Functional Toys	NA
7.6	Hazardous Sharp Functional Edges and Points	NA
7.7	Projectiles	NA
7.8	Imitation Protective Masks and Helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, Inline skates, Skateboards and Certain other ride-on Toys	NA
7.11	Toys Intended to be Attached to Strung Across a Cradle, Cot, or Perambulator	NA
7.12	Liquid-filled Teethers	NA
7.13	Percussion Caps Specifically Designed for Use in Toys	NA
7.14	Acoustics	NA
7.15	Toy Bicycles	NA
7.16	Toys Intended to Bear the Mass of a Child	NA
7.17	Toys Comprising Monofilament Fibres	NA
7.18	Toy Scooters	NA
7.19	Rocking Horses and Similar Toys	NA
7.20	Magnetic/Electrical Experimental Sets	NA
7.21	Toys with Electrical Cables Exceeding 300 mm in Length	NA
7.22	Toys with Cords or Chains Intended for Children of 18 Months and over but under 36 Months	NA

Remark: P = Pass NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- All the above markings were presented on the packaging.

Date Sample Received: 05 Jan, 2016

Testing Period: 05 Jan, 2016 To 08 Jan, 2016

To be continued

Tests Conducted

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be Worn on the Head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: 05 Jan, 2016

Testing Period: 05 Jan, 2016 To 08 Jan, 2016

3 19 Toxic Elements Migration Test

(A) Test Result

As per EN 71-3: 2013 and amendment A1:2014 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography-Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (II): Liquid or sticky toy material

Element	Result (mg/kg)					Limit (mg/kg)
	(3)	(4)#	(5)	(6)#	(7)#	
Aluminium (Al)	< 100	< 100	< 100	< 100	< 100	1406
Antimony (Sb)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	11.3
Arsenic (As)	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.9
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	375
Boron (B)	< 50	< 50	< 50	< 50	< 50	300
Cadmium (Cd)	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.3
Chromium (III) (Cr III)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	9.4
Chromium (VI) (Cr VI)	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	0.005
Cobalt (Co)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.6
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	156
Lead (Pb)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.4
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	300
Mercury (Hg)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.9
Nickel (Ni)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	18.8
Selenium (Se)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	9.4
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	1125
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	3750
Organic tin	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	938

To be continued

Tests Conducted

Element	Result (mg/kg)					Limit (mg/kg)
	(8)	(9)	(10)	(11)	(12)	
Aluminium (Al)	< 100	< 100	< 100	< 100	< 100	1406
Antimony (Sb)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	11.3
Arsenic (As)	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.9
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	375
Boron (B)	< 50	< 50	< 50	< 50	< 50	300
Cadmium (Cd)	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.3
Chromium (III) (Cr III)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	9.4
Chromium (VI) (Cr VI)	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	0.005
Cobalt (Co)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.6
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	156
Lead (Pb)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.4
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	300
Mercury (Hg)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.9
Nickel (Ni)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	18.8
Selenium (Se)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	9.4
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	1125
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	3750
Organic tin	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	938

Element	Result (mg/kg)						Limit (mg/kg)
	(13)#	(14)	(15)	(16)	(17)#	(18)	
Aluminium (Al)	< 100	< 100	< 100	< 100	< 100	< 100	1406
Antimony (Sb)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	11.3
Arsenic (As)	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.9
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	375
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	300
Cadmium (Cd)	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.3
Chromium (III) (Cr III)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	9.4
Chromium (VI) (Cr VI)	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	0.005
Cobalt (Co)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.6
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	156
Lead (Pb)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.4
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	300
Mercury (Hg)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.9
Nickel (Ni)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	18.8
Selenium (Se)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	9.4
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	1125
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	3750
Organic tin	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	938

To be continued

Tests Conducted

Category (III): Scraped-off toy material

<u>Element</u>	<u>Result (mg/kg)</u>		<u>Limit (mg/kg)</u>
	(1)	(2)	
Aluminium (Al)	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	560
Arsenic (As)	< 10	< 10	47
Barium (Ba)	< 10	< 10	18750
Boron (B)	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	130
Copper (Cu)	< 10	< 10	7700
Lead (Pb)	< 10	< 10	160
Manganese (Mn)	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	94
Nickel (Ni)	< 10	< 10	930
Selenium (Se)	< 10	< 10	460
Strontium (Sr)	< 100	< 100	56000
Tin (Sn)	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	46000

Remark: mg/kg = Milligram per kilogram
spl. wt. = Sample weight

- Organic tin test result was expressed as tributyl tin.
- Unless specified, test results of Chromium (III), Chromium (VI) and Organic tin were derived from migration results of total chromium and tin respectively.
- Migration of Chromium (III) = Migration of total Chromium – Migration of Chromium(VI), when performed confirmation test for Chromium (VI)

= Confirmation of Chromium (VI) test was performed on the tested component.

Tested Components: See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

To be continued

Tests Conducted

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 05 Jan, 2016

Testing Period: 05 Jan, 2016 To 11 Jan, 2016

4 Cadmium (Cd) content

As per Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011 and (EU) No. 835/2012 of 18 September 2012 Amending Annex XVII Item 23 of the Reach Regulation (EC) No. 1907/2006, acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested components</u>	<u>Result in %</u>
(1)	ND
(2)	ND

Requirement:	
Category	Limit (%)
Wet paint	Not permitted
Surface coating	0.1
Plastic	0.01
Metal parts of jewellery & hair accessories	0.01

Remark: ND = Not Detected (<0.0005%)

Tested Components: See component list in the last section of this report.

Date Sample Received: 05 Jan, 2016

Testing Period: 05 Jan, 2016 To 07 Jan, 2016

To be continued

Tests Conducted



To be continued

Tests Conducted



Components List:

- (1) White plastic.(glue bottle cap, glue point)
- (2) Transparent soft plastic.(glue bottle)
- (3) Dark blue glitter glue.
- (4) Green glitter glue.
- (5) Light yellow glitter glue.
- (6) Red glitter glue.
- (7) Pink glitter glue.
- (8) Fuchsia glitter glue.
- (9) Dark pink glitter glue.
- (10) Grass green glitter glue.
- (11) Dark green glitter glue.
- (12) Blue glitter glue.
- (13) Golden glitter glue.
- (14) Dark brown glitter glue.
- (15) Black glitter glue.
- (16) Silver color glitter glue.
- (17) Purple glitter glue.
- (18) Yellow glitter glue.

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.